

What is claimed is:

1. A home network system, comprising:

5 a master device for transmitting a deletion request message to a home appliance connected to the home network system in order to disconnect the home appliance, receiving a deletion ACK response message from the home appliance, and deleting home appliance related information; and

10 a home appliance for receiving the deletion request message from the master device, transmitting the deletion ACK response message, and deleting home network system related information.

2. The system of claim 1, wherein the deletion request message comprises a logical address for the home appliance.

15 3. The system of claim 1, wherein the home network system related information comprises at least a logical address assigned by the master device, and the home appliance changes the logical address to a previously-stored initial logical address and stores the changed address.

20 4. The system of one of claims 1 to 3, wherein the master device further comprises a display device for displaying deletion of the home appliance related information.

25 5. A disconnection method of a home appliance in a home network system including at least one master device and at least one home appliance, comprising the steps of:

transmitting, at the master device, a deletion request message to the home appliance in order to disconnect the home appliance from the home network system;

transmitting, at the home appliance, a deletion ACK response message to
5 the master device;

deleting, at the home appliance, home network system related information;
and

deleting, at the master device, home appliance related information.

10 6. The method of claim 5, wherein the deletion request message comprises a logical address for the home appliance.

7. The method of claim 5, wherein the home network system related information comprises at least a logical address assigned by the master device, the
15 method further comprising a step for changing, at the home appliance, the logical address to a previously-stored initial logical address and storing the changed address.

8. The method of one of claims 5 to 7, further comprising a step for
20 displaying, at the master device, deletion of the home appliance related information through a display device.

9. A program storage medium for storing a computer readable program which disconnects a home appliance from a home network system including at
25 least one master device and at least one home appliance, and which comprises the steps of:

transmitting, at the master device, a deletion request message to the home appliance in order to disconnect the home appliance from the home network system;

transmitting, at the home appliance, a deletion ACK response message to
5 the master device;

deleting, at the home appliance, home network system related information;
and

deleting, at the master device, home appliance related information.

10 10. The medium of claim 9, wherein the deletion request message comprises a logical address for the home appliance.

11. The medium of claim 9, wherein the home network system related information comprises at least a logical address assigned by the master device,
15 and the program further comprises a step for changing, at the home appliance, the logical address to an initial logical address.

12. The medium of claim 9 or 11, wherein the program further comprises a step for displaying, at the master device, deletion of the home appliance related
20 information through a display device.